



**MANUAL**  
OPERATION



**HOTEL**  
TRACK

## **FOREST CS<sup>®</sup>** *Contract System*

Heavy duty hand drawn curtain track system for medium and heavy draperies.

THE WORLD  
BEHIND  
YOUR  
CURTAINS




# FOREST CS®



## PRODUCT INFORMATION

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; it can be curved and reversed curved using a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for the Forest Wave System (FES) and accordiafold drapery systems.
- Maximum fabric weight: 15 kg per mtr (11,25 LBS per ft).
- Colours available: white, black, silver and brown.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Available lengths: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20')
- Limited lifetime warranty.

- 1 CS Track
- 2 Carrier
- 3 Master Carrier R/L Overlap
- 4 Master Carrier R/L Underlap
- 5 Ball bearing carrier
- 6 Endcap with screw









## BENDING / CURVING

The track can be curved and reversed curved using a 20 cm (8") radius. Continuous curving is also possible with the electrical bending tool.



## PROFILE

- Weight: 235 gram p. mtr (2.53 ounce - ft).
- Aluminium Extrusion
- Dimensions: 20 mm x 20 mm (0,8" x 0,8")




## FOR USE IN

Hotels - Motels - offices - schools - healthcare residential or at any location where a heavy duty hand drawn system is required.




Easy installation  
click - position - tighten




clickable carrier

38 mm (1,5")

## APPLICATIONS






## CLICK-ON STIFFNER



## MOUNTING BRACKETS

### Smart Klick Ceiling bracket




Other brackets are available. Brackets need to be placed every 60 cm (24'').

### SK Aluminium Wall bracket single

A) 7,5 cm (3'') B) 6,3 cm (2,5'')


A) 10 cm (4'') B) 8,8 cm (3,5'')



### SK Aluminium Wall bracket double


A) 15 cm (6'') B) 9,2 cm (3,6'') C) 4,5 cm (1,8'')

A) 20 cm (8'') B) 9,2 cm (3,6'') C) 9,5 cm (3,7'')



### SK Aluminium Wall bracket triple

A) 25 cm (10'')



Brackets need to be placed every 50 - 60 cm (20''), depending on fabric weight.